TOHATSU OUTBOARDS
ANNIVERSARY
70TH

TOHATSU
Feel the Wind™



Power Equipment
Est. 1990

MID RANGE
25hp -150hp

MID RANGE SERIES

NEW MFS150
150 hp

Power meets efficiency

The new MFS150 is built on the trusted foundation of the MFS140 and enhanced with refinements that boost overall efficiency. Its class-leading lightweight design, impressive fuel economy, and best in class power-to-weight ratio provide reliable performance and extended hours on the water. When power meets efficiency, you get strength without compromise.



Simpliq™ Technology



Simpliq™ Technology

MFS75/90/115/140
75 - 140 hp

The MFS75/90/115/140 design is built on our best-selling models the MFS40/50/60 and the MFS9.9/15/20.
The legacy of our top performing and most reliable engines has been passed on, with a dynamic design and sophisticated details, to our MFS75/90/115/140 4-stroke outboard with industry-first innovative features and characteristics.

TOCS (Tohatsu Onboard Communication System) offers communication between standard onboard electric devices and the outboard by simple plug and play connections.

MFS60
60 hp

Tohatsu is determined to provide an engine to back you up on all your adventures. Armed to deliver a powerful ride, the 60ps EFI four stroke not only offers accelerating speed while using less fuel, but provides the lightest weight in its class to muscle your boat applications without sacrificing performance and accessibility to hard to reach places .





MFS40/50
40 - 50 hp

With a starting weight of 96.5 kg, the MFS50/40 is not only one of the lightest in it's class, but delivers the performance you expect out of your outboard .
The newly designed gear case offers you a lower gear ratio for improved hole shot and top end speed .

MFS25/30
25 - 30 hp

Simpliq™ Technology

We have achieved the lightest weight in its class and improved reliability, without sacrificing performance. The MFS25/30D is designed for a wide variety of applications, and is available in multiple configurations to fit your boating needs.



SPECIFICATIONS

	MFS25	MFS30	MFS40	MFS50	MFS60
POWER OUTPUT	25 hp	30 hp	40 hp	50 hp	60 hp
MAX RPM RANGE	5,000-6,000	5,500-6,500	5,000-6,000		5,000-6,000
ENGINE	4-Stroke 3 cyl SOHC-6V		4-Stroke 3 cyl		3 cyl
DISPLACEMENT	500cc		866cc		866cc
ALTERNATOR OUTPUT	12V, 210W, 17.5A / @W.O.T.		12V, 252W, 21A		12V, 252W, 21A
WEIGHT	58 kg		95 kg		98.5 kg
SHAFT LENGTH	S: 425 mm / L: 552 mm		S: 405 mm / L: 538 mm		538 mm

MFS60	MFS75	MFS90	MFS100	MFS115	MFS140	MFS150
60 hp	75 hp	90 hp	100 hp	115 hp	140 hp	150 hp
5,000-6,000	5,150-5,850					5,500-6,200
3 cyl	4-Stroke 4 cyl					4 cyl DOHC 16V
866cc	1,995cc					
12V, 252W, 21A	12V, 492W, 41A					
98.5 kg	178 kg					178.5 kg
538 mm	See Dealer for shaft length options					

* Specifications subject to change. Weight specification based on lightest model variation including propeller.
Please see your local authorised dealer or tohatsu-motors.com.au for full specifications.

TOHATSU

Feel the Wind™

tohatsu-motors.com.au

Power Equipment® Est. 1990