TOHATSU OUTBOARDS
ANNIVERSARY
70TH

TOHATSU
Feel the Wind™



Power Equipment
Est. 1990

PORTABLE SERIES

3.5hp - 20hp

PORTABLE SERIES

MFS9.9/15/20

9.9 - 20 hp

These compact yet powerful engines have all the features you would expect to see on larger outboards. Such as battery-less EFI technology, multi-function tiller handle*, and a large displacement providing outstanding power . All while maintaining lightest in it's class, quiet operation, and ease of portability. *Tiller models only



MFS4/5/6/6SP

4 - 6 hp

These portable best-seller have been upgraded by newly designed top and bottom cowls based on Tohatsu Design Philosophy for Marine Products with ergonomically designed front and back carrying handles. Now you can store your engine on 3 different positions without worrying about oil spillage.

SP model is designed specifically for sail boaters. This outboard is available in a "long" and "Ultra-long" shaft with high thrust propeller and 60W(12V, 5A) charging system.





MFS8C/9.9CY

8 - 9.9 hp

Utilizing industry-first, battery-less EFI technology, the MFS9.9CY/8C are the lightest outboards in their class along with a large displacement making outstanding power. Those advantages along with ultra-quiet operation makes these models the best choice in any application.



MFS3.5

3.5 hp

With a starting weight of 96.5 kg, the MFS50/40 is not only one of the lightest in it's class, but delivers the performance you expect out of your outboard. The newly designed gear case offers you a lower gear ratio for improved hole shot and top end speed.





SPECIFICATIONS

	MFS3.5	MFS4	MFS5	MFS6
POWER OUTPUT	3.5 hp	4 hp	5 hp	6 hp
MAX RPM RANGE	5,000-6,000	4,500-5,500		5,000-6,000
ENGINE	4-Stroke 1 cyl			
DISPLACEMENT	85.5cc	123cc		
ALTERNATOR OUTPUT	n/a	12V, 60W, 5A (optional)		
WEIGHT	18.5 kg	26 kg	25.5 kg	
SHAFT LENGTH	S: 435 mm / L: 562 mm			

MFS6SP	MFS8C	MFS9.9CY	MFS9.9	MFS15	MFS20
6 hp	8 hp	9.9 hp	9.9 hp	15 hp	20 hp
5,000-6,000	5,300-6,200		5,400-6,100		
4-Stroke 1 cyl	4-Stroke 2 cyl				
123cc	209cc		333cc		
12V, 60W, 5A	12V, 84W, 7A		12V, 144W, 12A**		
26 kg	38.5 kg		43 kg		
L: 562 mm / UL: 635 mm	S: 433 mm / L: 560 mm / UL: 687 mm*		S: 435 mm / L: 562 mm		

* Specifications subject to change. Weight specification based on lightest model variation including propeller.
Please see your local authorised dealer or tohatsu-motors.com.au for full specifications.

* UL Shaft available on MFS9.9CY model only. **Alternator optional on non electric start models.

TOHATSU

Feel the Wind™

tohatsu-motors.com.au

Power Equipment® Est. 1990